

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



IFW

7Docket No.: J2167.0460
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Jodi Breslin

Application No.: 10/664,283

Confirmation No.: 4534

Filed: September 17, 2003

Art Unit: Not Yet Assigned

For: A SYSTEM AND METHOD FOR
MANAGING RISKS ASSOCIATED WITH
OUTSIDE SERVICE PROVIDERS

Examiner: Not Yet Assigned

REQUEST FOR CORRECTED FILING RECEIPT

Filing Receipt Corrections
Office of Initial Patent Examination
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants hereby request that a corrected Filing Receipt be issued in the above-identified patent application. The official Filing Receipt received by Applicants, a copy of which is attached hereto, has an error in the city of residence for inventor Breslin.

Please delete "Jodi Breslin, New York, N.Y.", and insert --Jodi Breslin, Great Neck, N.Y.--.

Application No.: 10/664,283

Docket No.: J2167.0460

Applicants additionally request that all pertinent U.S. Patent and Trademark Office records relating to the subject application be changed to reflect this correction.

Dated: May 24, 2004

Respectfully submitted,

By


Michael J. Scheer


Registration No.: 34,425

DICKSTEIN SHAPIRO MORIN &
OSHINSKY LLP

1177 Avenue of the Americas
41st Floor

New York, New York 10036-2714
(212) 835-1400

Attorney for Applicant



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/664,283	09/17/2003	3629	1060	J2167.0460	12	30	2

CONFIRMATION NO. 4534

UPDATED FILING RECEIPT



OC000000012148752


Michael J. Scheer
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP
41st Floor
1177 Avenue of the Americas
New York, NY 10036-2714

Date Mailed: 03/22/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Great Neck
Jodi Breslin, New York, NY;
Evelyn Borgia, Hauppauge, NY;
Graham de Gottal, Readington, NJ;



Domestic Priority data as claimed by applicant

This appln claims benefit of 60/411,284 09/17/2002

Foreign Applications

If Required, Foreign Filing License Granted: 12/08/2003

Projected Publication Date: 07/01/2004

Non-Publication Request: No

Early Publication Request: No

DSMO FILE NO. J2167.0460

DUE: _____

C/L: _____

ENTERED BY: JanATTY: MJS

Title

System and method for managing risks associated with outside service providers